IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for producing a cycloolefin addition polymer, comprising

addition-polymerizing one or more cycloolefin monomers comprising a cycloolefin compound represented by the following formula (1), in the presence of a multi-component catalyst, comprising:

- (a) a palladium compound, and
- (b) one or more phosphorus compounds selected from the group consisting of the following compounds (b-1) and (b-2):

wherein (b-1) comprises a phosphonium salt represented by the following formula (b1):

$$[PR^2R^3R^4R^5]+[CA_1]-$$
 (b1)

wherein P is a phosphorus atom,

R² is a substituent selected from the group consisting of a hydrogen atom, an alkyl group of 1 to 20 carbon atoms, a cycloalkyl group and an aryl group,

R³ to R⁵ are each independently a substituent selected from the group consisting of an alkyl group of 1 to 20 carbon atoms, a cycloalkyl group and an aryl group, and

[CA₁] is a counter anion selected from the group consisting of a carboxylic acid anion, a sulfonic acid anion and a superstrong acid anion containing comprising an atom selected from the group consisting of B, P and Sb and [[a]] F atom,

wherein (b-2) comprises an addition complex of

Docket No. 285118US0PCT Preliminary Amendment

a phosphine compound that eentains comprises a substituent selected from the group consisting of an alkyl group of 3 to 15 carbon atoms, a cycloalkyl group and an aryl group, wherein the addition complex and has a cone angle (θ deg) of 170 to 200,

and an organoaluminum compound;

$$A^{1} \xrightarrow{A^{2}} A^{4}$$

$$A^{2} \xrightarrow{A^{3}} A^{3}$$

$$(1)$$

wherein A¹ to A⁴ are each independently an atom or a group selected from the group consisting of a hydrogen atom, a halogen atom, an alkyl group of 1 to 15 carbon atoms, a cycloalkyl group, an aryl group, an ester group, an oxetanyl group, an alkoxy group, a trialkylsilyl group and a hydroxyl group,

and wherein A^1 to A^4 may be each bonded to a cyclic structure through a bond group of 0 to 10 carbon atoms, wherein said bond group containing at least one group or atom is selected from the group consisting of an alkylene group of 1 to 20 carbon atoms, an oxygen atom, a nitrogen atom and a sulfur atom,

wherein A¹ and A² may form an alkylidene group of comprising 1 to 5 carbon atoms, a substituted or unsubstituted alicyclic or aromatic ring of comprising 5 to 20 carbon atoms or a heterocyclic ring of comprising 2 to 20 carbon atoms,

wherein A¹ and A³ may form a substituted or unsubstituted alicyclic or aromatic ring of comprising 5 to 20 carbon atoms or a heterocyclic ring of comprising 2 to 20 carbon atoms, and

wherein m is 0 or 1; to form the cycloolefin addition polymer.

Claim 2 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in claim 1, wherein the multi-component catalyst further comprises, in addition to the component (a) and the component (b-1),

(c) a compound selected from the group consisting of an ionic boron compound, an ionic aluminum compound, an aluminum compound of Lewis acidity and a boron compound of Lewis acidity.

Claim 3 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in claim 1 or 2, wherein the multi-component catalyst further comprises, in addition to the component (a) and the component (b-2),

(d) an organoaluminum compound.

Claim 4 (Original): The process for producing a cycloolefin addition polymer as claimed in claim 3, wherein the content of the organoaluminum compound (d) is in the range of 0.1 to 200 mol based on 1 gram atom of palladium of the palladium compound (a).

Claim 5 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in any one of claims 1 to 4 claim 1, wherein the palladium compound (a) is an organic carboxylate of palladium or a β -diketone compound of palladium.

Claim 6 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in <u>claim 1</u> any one of claims 1 to 5, wherein the multi-component catalyst is a catalyst prepared in the presence of at least one compound selected from the group consisting of a polycyclic monoolefin or non-conjugated diene having comprising a

bicyclo[2.2.1]hept-2-ene structure, <u>a non-conjugated diene comprising a bicycle[2.2.1]hept-2-ene structure</u>, a monocyclic non-conjugated diene, and a straight-chain non-conjugated diene, <u>and combinations thereof</u>.

Claim 7 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in <u>claim 1</u> any one of claims 1 to 6, wherein the multi-component catalyst is a catalyst prepared in the presence of bicyclo[2.2.1]hept-2-ene, <u>and/or</u> a bicyclo[2.2.1]hept-2-ene derivative <u>having comprising</u> one or more hydrocarbon groups of <u>comprising</u> 1 to 15 carbon atoms, or a combination thereof.

Claim 8 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in any one of claims 1 to 7 claim 1, wherein the cycloolefin monomers contain comprise a cycloolefin compound represented by the following of formula (2)-1 or formula (2)-2:

SiR
$$^{1}_{k}X_{3-k}$$
 (2)-1

Docket No. 285118US0PCT Preliminary Amendment

wherein R^1 and R^2 are each a substituent selected from the group consisting of an alkyl group of 1 to 10 carbon atoms, a cycloalkyl group and an aryl group,

wherein X is selected from the group consisting of an alkoxy group of 1 to 5 carbon atoms or and a halogen atom,

wherein Y is a residue of a hydroxyl group of an aliphatic diol of comprising 2 to 4 carbon atoms,

wherein k is an integer of 0 to 2, and n is 0 or 1.

Claim 9 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in claim 8, wherein the cycloolefin compound of represented by the formula (2)-1-and/or the cycloolefin compound represented by the or formula (2)-2 is used in a total amount of 0.1 to 30% by mol in the whole amount of all the cycloolefin monomers.

Claim 10 (Currently Amended): The process for producing a cycloolefin addition polymer as claimed in claim 1 any one of claims 1 to 9, wherein the cycloolefin monomer of the formula (1) in which A¹ to A⁴ are each independently a hydrogen atom or a hydrocarbon group of 1 to 15 carbon atoms is used in an amount of not less than 50% by mol in the whole amount of all the cycloolefin monomers.

Claim 11 (New): The process for producing a cycloolefin addition polymer as claimed in claim 2, wherein the multi-component catalyst further comprises, in addition to the component (a) and the component (b-2),

(d) an organoaluminum compound.

Claim 12 (New): The process for producing a cycloolefin addition polymer as claimed in claim 11, wherein the content of the organoaluminum compound (d) is in the range of 0.1 to 200 mol based on 1 gram atom of palladium of the palladium compound (a).

Claim 13 (New): The process for producing a cycloolefin addition polymer as claimed in claim 2, wherein the palladium compound (a) is an organic carboxylate of palladium or a β -diketone compound of palladium.

Claim 14 (New): The process for producing a cycloolefin addition polymer as claimed in claim 3, wherein the palladium compound (a) is an organic carboxylate of palladium or a β -diketone compound of palladium.

Claim 15 (New): The process for producing a cycloolefin addition polymer as claimed in claim 4, wherein the palladium compound (a) is an organic carboxylate of palladium or a β -diketone compound of palladium.

Claim 16 (New): The process for producing a cycloolefin addition polymer as claimed in claim 2, wherein the multi-component catalyst is a catalyst prepared in the presence of at least one compound selected from the group consisting of a polycyclic monoolefin comprising a bicyclo[2.2.1]hept-2-ene structure, a non-conjugated diene comprising a bicycle[2.2.1]hept-2-ene structure, a monocyclic non-conjugated diene, a straight-chain non-conjugated diene, and combinations thereof.

Claim 17 (New): The process for producing a cycloolefin addition polymer as claimed in claim 3, wherein the multi-component catalyst is a catalyst prepared in the presence of at least one compound selected from the group consisting of a polycyclic monoolefin comprising a bicyclo[2.2.1]hept-2-ene structure, a non-conjugated diene comprising a bicycle[2.2.1]hept-2-ene structure, a monocyclic non-conjugated diene, a straight-chain non-conjugated diene, and combinations thereof.

Claim 18 (New): The process for producing a cycloolefin addition polymer as claimed in claim 4, wherein the multi-component catalyst is a catalyst prepared in the presence of at least one compound selected from the group consisting of a polycyclic monoolefin comprising a bicyclo[2.2.1]hept-2-ene structure, a non-conjugated diene comprising a bicycle[2.2.1]hept-2-ene structure, a monocyclic non-conjugated diene, a straight-chain non-conjugated diene, and combinations thereof.

Claim 19 (New): The process for producing a cycloolefin addition polymer as claimed in claim 5, wherein the multi-component catalyst is a catalyst prepared in the presence of at least one compound selected from the group consisting of a polycyclic monoolefin comprising a bicyclo[2.2.1]hept-2-ene structure, a non-conjugated diene comprising a bicycle[2.2.1]hept-2-ene structure, a monocyclic non-conjugated diene, a straight-chain non-conjugated diene, and combinations thereof.

Claim 20 (New): The process for producing a cycloolefin addition polymer as claimed in claim 2, wherein the multi-component catalyst is a catalyst prepared in the presence of bicyclo[2.2.1]hept-2-ene, a bicyclo[2.2.1]hept-2-ene derivative comprising one or more hydrocarbon groups comprising 1 to 15 carbon atoms, or a combination thereof.